


SECTION OR SUBDIVISION

 $\frac{7}{18}$ $\frac{1}{4}$ CORNER No. 810

TWP. ... 1 N ..., RANGE ... 10 ... E, W.M.

CORNER DESCRIPTION



FO. MAUND OF STONE, ~ 2' DIA,
 W/ OLD SAD. OAK POST LAYING
 ALONG SIDE. 18" ROTTED FIR STUMP
 W/ VISIBLE BLAZE (NO LEGIBLE
 SCRIBING) N 35° W, 9' 8" DIST.

21" ROTTED FIR STUMP S 58° E,

27' 6" DIST., POSS. BLAZE

10" DAK. N 90° E, 7' DIST. BRG

FOR. SER. SEC. COR. POSTER

18" FIR STUMP N 90° E, 19'

DIST., POSS. BLAZE

W.O. REF. FILED 1/78

CARD 1 OF 1

Over -

This corner not
accepted - NO
original evidence

~~RJA~~

9-79

810

SECTION OR SUBDIVISION

TWP. 1N, RANGE 10E, W.M.

CORNER No. 810

CORNER DESCRIPTION

S 1/4 7



5" Oak bears N 32° W 14'
14" DF bears S 47° W 17'

Set by HRC Surveyor
in 1978 by single
proportion.

W.O. REF. _____

CARD..... OF