


SECTION OR SUBDIVISION

TWP. 15....., RANGE 8 E., W.M.



W.O. REF. _____

CORNER No. 124.....

CORNER DESCRIPTION

CORNER IS AN
18" X 9" X 6" ROCK
SET BY G.L.D. IN
1885, FD. BY
STEVE NANCE ON
AUGUST 20TH 1984

CARD..... OF

LOCAL RECORD

Champion Timberlands

CORNERS OF THE CADASTRAL SURVEY GRID

T. 15 R. 8E Mer. W State. Neal Creek District

SYMBOLS



Official corner found

Probable corner found,
authenticity doubtful.

Corner searched for and not found.

Reported By Steve Nance

Signature

Log Ctr. Adm.

Title

8/20/84

Date

MARKS: 1/4 on N side of stone

1/4 Corner common to Secs. —, —, 25 & 36 is a mound of stone,
tree, rock, fire pit, iron pipe, size 18 x 9 x 6 inches.

LEGIBLE MARKS ON BEARING OBJECTS

KIND
SIZE
BEARING
DISTANCE
BT TAG
POSTED

<u>RC</u>	<u>RC</u>		
<u>30"</u>	<u>25"</u>		
<u>N30W</u>	<u>S58W</u>		
<u>8'</u>	<u>22'</u>		

#1

#2

ADDITIONAL INFORMATION

Corner set by: GLODate 1885

Bt. #1 is a 6ft high stump

Bt #2 is a 3ft high stump

All marks on bearing stamps
are weathered away.

(OVER)

2nd growth timber
8-16 inch dbh.

Forest Rd 18

Forest Rd 1810

1 1/4 miles

Champion location post
on W side of Rd 1810

Corner is 465 ft E of Rd.
Orange ribbon to car.