


SECTION OR SUBDIVISION

TWP. 2N....., RANGE ^{10E11}..... E, W.M.



W.O. REF. _____

CORNER No. 416.....

CORNER DESCRIPTION

COR IS A I.P.
W/ TAG ON I.P. AT THE
Y IN DIRT ROAD THAT
TAKES OFF WEST FROM
WISNEY CK RD & EAST SIDE
GRADE
VISITED THE APRIL 69 COR
IS ACCEPTED & SEEM TO CHECK
See card # 596

CARD..... OF

SECTION OR SUBDIVISION

1 6
12 7

CORNER No.

596

TWP... 2 N., RANGE... 10 E., W.M.

CORNER DESCRIPTION

R 10 E

R 11 E

SEC. COR

DRIVE

TO EAST
SIDE GRADE →

POLE
W/TAG →

N 88 W
17 15

DRIVE

31 1/4
16 1/2

CORNER
PEAR TREE

ED. BRASS CAP IN

PRIVATE DRIVE

TAGGED UTILITY POLE

11-2-72 H.R. Co.

BRASS CAP SET BY

NEWTON SURVEYING

CO. 4/25/78

W.O. REF.

#1035-PG 72 N.S. Co.

CARD

1

OF

2

over

Ceta crew set 2 $\frac{5}{8}$ " relay
bar references

S 45° W 40.70'

S 45° E 30.75'

1978

(596)

GLO stone(broken) found in 1912 by Murray Kay, and replaced with a galvanized pipe.
Corner remonumented in 1972 by private surveyor with pipe and brass cap.