December 13, 1968

FIELD NOTES:

Work Order # 4031-Survey for Jerry Carter in Section 1, Township 2 North,
Range 8 East, Willamette Meridian at Wyeth, Hood River
County, Oregon.

CREW: Verl R. Fraley, Reg. Oregon Land Surveyor #183 Bob Ulrich, Chainman

DATES PERFORMED: December 10 & 11, 1968

WEATHER: Cold & Rain.

REFERENCE: 18" x 24" Tenneson Engineering Corporation Map #4031

On December 10, 1968 our firm was retained by Jerry Carter of Bingen to survey the West line of property on which he had purchased timber. During the logging operations he was fearful of encroaching on adjoining property,


Before starting the field work, we searched in the Hood River County Engineer's office for previous surveys in the area. Bonneville Project maps were found which showed the Northwest and Northeast corners of Section 1 to be brass caps. We met Mr. Carter and his line clearing crew at the site and he indicated a survey line which he believed to be the West line of the property. He furnished us with an assessor's map which only showed the property tax lot numbers but no necessary information to do the job. For the next 2 or 3 hours we spent locating the 2 brass caps.

In our office we found Bonneville Power Administration maps Nos. 3701 and 3702 which gave us all necessary distances and bearings to satisfactorily do the job.

From the Bonneville Power Administration line we made a bearing traverse to the Northwest corner of Section 1. From there we ran along the North line of the Section to a point 1,101.39 ft. East. From this point we turned an angle of 4° 13' 30" Left so as to keep away from the freeway traffic. At a calculated distance of 895.51 feet from the angle point we set an iron rod on an extension of the West line to be located, which is the West line of the East one-half of the Northeast one-quarter of the Northwest one-quarter of Section 1.

On this West line at a point 270.5 feet South of the Section line we set an iron rod 2 feet South of a steel fence. At 1 foot South of the iron rod we found a hub which was set by other surveyors, Further South we found other hubs and stakes which were approximately 1 foot West of our line.

Near the North right-of-way line of the Bonneville Power Administration transmission line, we set an iron rod for future reference.



Page -2-

Monuments found and set on this survey are shown on the attached map work freer #4031 which by reference is made a part of these notes.

OREGON
LAND SURVEYOR

Verl R. Fraley, Ore. Landstarveyor #183
VERL R. FRALEY
183

CHECKED & APPROVED:

TENNESON ENGINEERING CORPORATION

Donald J. Rohde, Secretary

LETTER OF TRANSMITTAL



	Tenne	son Engineering 412 West Second Pl	ace _	DATE December 13 JOB NO. 4031	-	
	THE DALLES, OREGON		97058 TO	то	RE:	
	Hood Ri	ver County Surveyo	r			
-	Hood River County Courthouse					
	Hood Ri	ver, Oregon 97031		,		2000
GE	NTLEMEN	J.			1	
GL	w	E ARE SENDING YOU		1000000	OVER VIATHE FOLLOWING IT	EMS
	_	OF LETTER	rs 🗌 PLAN	ıs LIS	SAMPLES SPECIFICATIONS	
	L COPY	OF LETTER LJ				
COPIES	DATE OR NO.	DESCRIPTION				
1	4031	sepia of survey for Jerry Carter				
1		field notes				
THE	SE ARE 1	TRANSMITTED AS CHEC	KED BELOW:			
	☐ FOR A	APPROVAL	APPROVED AS	SUBMITTED	RESUBMITCOPIES FOR APPROVAL	·S
	For	YOUR USE	APPROVED AS	NOTED	SUBMITCOPIES FOR DISTRIBUTION	4
			RETURNED FO		NS RETURNCORRECTED PRINTS	
	For Review and Comment					
	☐ FOR BIDS DUE				PRINTS RETURNED AFTER LOAN TO US	
REM	IARKS:	Please record.				
-				······		_

IF ENCLOSURES ARE NOT AS NOTED, KINDLY NOTIFY US AT ONCE.

Form 200-T - New England Business Service, Inc., Townsend, Mass.

SIGNED: Worl R. Fraley